



**Fission**  
URANIUM CORP.

Suite 700 – 1620 Dickson Ave.  
Kelowna, BC V1Y 9Y2

[rich@fissionuranium.com](mailto:rich@fissionuranium.com)  
[www.fissionuranium.com](http://www.fissionuranium.com)

TSX SYMBOL: FCU  
OTCQX SYMBOL: FCUUF  
FRANKFURT SYMBOL: 2FU

September 7, 2017

## **Fission Hits 128.0m of Total Composite Mineralization with Multiple High-Grade Intervals, 2.3km West of R780E**

*Assays confirm high-grade mineralization in four holes at new R1515W zone*

**FISSION URANIUM CORP.** ("Fission" or "the Company") is pleased to announce the assay results from four holes on the new, land-based, R1515W zone, where drilling has intersected the widest, high-grade mineralization outside of the Triple R Deposit at its' PLS property in Canada's Athabasca Basin region. Of particular note is hole PLS17-564 (line 1545W), located 2.3km west of the Triple R Deposit's central part of the R780E zone, which intersected **128.0m of total composite mineralization**, including intervals such as **7.0m @ 6.90% U<sub>3</sub>O<sub>8</sub> in 14.50m @ 3.39% U<sub>3</sub>O<sub>8</sub> and 7.0m @ 6.36% U<sub>3</sub>O<sub>8</sub> in 10.50m @ 4.35% U<sub>3</sub>O<sub>8</sub>**. All four holes returned wide intervals at shallow depth, as well as high-grade mineralization.

### **Assay Highlights Include:**

PLS17-564 (line 1545W): key intervals

- **60.0m @ 0.40% U<sub>3</sub>O<sub>8</sub> (101.0m to 161.0m)**
- **14.50m @ 3.39% U<sub>3</sub>O<sub>8</sub> (163.5m to 178.0m)**, including:
  - **7.0m @ 6.90% U<sub>3</sub>O<sub>8</sub> (170.5m to 177.5m)**,
- **10.50m @ 4.35% U<sub>3</sub>O<sub>8</sub> (199.5m to 209.5m)**, including:
  - **7.0m @ 6.36% U<sub>3</sub>O<sub>8</sub> (202.0m to 209.0m)**

PLS17-562 (line 1545W) key intervals:

- **27.5m @ 0.60% U<sub>3</sub>O<sub>8</sub> (104.0m to 131.5m)**, including:
  - **9.0m @ 1.29% U<sub>3</sub>O<sub>8</sub> (113.0m to 122.0m)**
- **14.50m @ 1.73% U<sub>3</sub>O<sub>8</sub> (208.5m to 223.0m)**, including:
  - **3.5m @ 3.01% U<sub>3</sub>O<sub>8</sub> (208.5m to 212.0m)**, and
  - **1.5m @ 5.56% U<sub>3</sub>O<sub>8</sub> (217.5m to 219.0m)**
- **7.50m @ 1.02% U<sub>3</sub>O<sub>8</sub> (231.5m to 239.0m)**, including:
  - **1.0m @ 5.10% U<sub>3</sub>O<sub>8</sub> (233.5m to 234.5m)**

Ross McElroy, President, COO, and Chief Geologist for Fission, commented

*"These assays highlight the excellent potential of our newest, land-based R1515W zone, which is 2.3km west of the Triple R deposit's central R780E zone. With hole PLS17-564 returning 128.0m of total composite mineralization, this result is the widest total composite mineralization drilled to date, outside of the Triple R, which we consider to be very encouraging as we continue to push west with each successive drill program."*

**Table 1: R1515W Zone - Composited Mineralized Intervals from Drill Holes**

Zone	Hole ID	Grid Line	Az	Dip	From (m)	To (m)	Interval (m)	U3O8 (wt%)
R1515W	PLS17-561	1515W	346	-82.4	119.00	134.00	15.00	1.74
					<b>122.00</b>	<b>128.50</b>	<b>6.50</b>	<b>3.66</b>
					143.00	147.50	4.50	0.12
					165.50	175.00	9.50	0.16
					179.00	179.50	0.50	0.06
					185.50	186.50	1.00	0.30
					238.50	239.00	0.50	0.05
					242.00	242.50	0.50	0.07
					271.00	273.50	2.50	0.05
	PLS17-562	1545W	325	-80.1	104.00	131.50	27.50	0.60
					<b>113.00</b>	<b>122.00</b>	<b>9.00</b>	<b>1.29</b>
					154.50	155.00	0.50	0.07
					162.00	162.50	0.50	0.06
					165.50	169.00	3.50	1.90
					193.50	197.50	4.00	0.10
					202.50	205.50	3.00	0.05
					208.50	223.00	14.50	1.73
					<b>208.50</b>	<b>212.00</b>	<b>3.50</b>	<b>3.01</b>
					<b>217.50</b>	<b>219.00</b>	<b>1.50</b>	<b>5.56</b>
					227.50	228.00	0.50	0.32
					231.50	239.00	7.50	1.02
					<b>233.50</b>	<b>234.50</b>	<b>1.00</b>	<b>5.10</b>
					242.00	248.00	6.00	0.31
					251.00	252.00	1.00	0.08
	PLS17-563	1515W	315	-82.5	122.00	131.50	9.50	0.10
					138.00	138.50	0.50	0.05
					142.00	142.50	0.50	0.17
					146.00	159.00	13.00	1.09
					<b>153.00</b>	<b>156.50</b>	<b>3.50</b>	<b>3.70</b>
					162.00	166.50	4.50	0.06
					169.50	170.50	1.00	0.26
					173.50	174.50	1.00	0.07
					185.00	185.50	0.50	0.08
					189.00	191.00	2.00	0.05
					200.50	206.50	6.00	0.80
					<b>203.00</b>	<b>205.00</b>	<b>2.00</b>	<b>1.99</b>
210.50					211.50	1.00	0.20	
228.00					228.50	0.50	0.22	
234.50					242.50	8.00	0.78	
<b>239.00</b>	<b>240.50</b>	<b>1.50</b>	<b>3.54</b>					
245.00	264.00	19.00	0.51					
<b>245.00</b>	<b>248.00</b>	<b>3.00</b>	<b>1.39</b>					
PLS17-564	1545W	323	-79.6	101.00	161.00	60.00	0.40	
				<b>115.00</b>	<b>124.50</b>	<b>9.50</b>	<b>1.05</b>	
				<b>143.00</b>	<b>145.00</b>	<b>2.00</b>	<b>1.53</b>	

				163.50	178.00	14.50	3.39
				<b>170.50</b>	<b>177.50</b>	<b>7.00</b>	<b>6.90</b>
				199.00	209.50	10.50	4.35
				<b>202.00</b>	<b>209.00</b>	<b>7.00</b>	<b>6.36</b>
				214.50	237.00	22.50	0.40
				<b>230.00</b>	<b>232.50</b>	<b>2.50</b>	<b>2.61</b>
				239.50	256.00	16.50	0.50
				<b>254.50</b>	<b>256.00</b>	<b>1.50</b>	<b>1.53</b>
				269.50	273.50	4.00	0.43

Composite Parameters

1. Minimum Thickness: 0.50m
2. Grade Cut-Off: 0.05 U<sub>3</sub>O<sub>8</sub> (wt%)
3. Maximum Internal Dilution: 2.00m

Composited % U<sub>3</sub>O<sub>8</sub> mineralized intervals are summarized in Table 1. Samples from the drill core are split in half sections on site. Where possible, samples are standardized at 0.5m down-hole intervals. One-half of the split sample is sent to SRC Geoanalytical Laboratories (an SCC ISO/IEC 17025: 2005 Accredited Facility) in Saskatoon, SK for analysis which includes U<sub>3</sub>O<sub>8</sub> (wt %) and fire assay for gold, while the other half remains on site for reference. All analysis includes a 63 element ICP-OES, uranium by fluorimetry and boron. Individual zone wireframe models constructed from assay data and used in the resource estimate indicate that both the R780E and R00E zones have a complex geometry controlled by and parallel to steeply south-dipping lithological boundaries as well as a preferential sub-horizontal orientation. Similar geometrical relationships appear to be the case with the R840W, R1620E and R1515W zones as well. All depth measurements reported, including sample and interval widths are down-hole, core interval measurements and true thickness are yet to be determined.

### PLS Mineralized Trend & Triple R Deposit Summary

Uranium mineralization at PLS occurs within the Patterson Lake Conductive Corridor and has been traced by core drilling approximately 3.18km of east-west strike length in five separated mineralized "zones". From west to east, these zones are: R1515W, R840W, R00E, R780E and R1620E. Thus far only the R00E and R780E have been included in the Triple R deposit resource estimate, where-as the R840W and R1620E zones and the recent addition of the R1515W zone, fall outside of the current resource estimate window.

The discovery hole of what is now referred to as the Triple R uranium deposit was announced on November 05, 2012 with drill hole PLS12-022, from what is considered part of the R00E zone. Through successful exploration programs completed to date, it has evolved into a large, near surface, basement hosted, structurally controlled high-grade uranium deposit.

The Triple R deposit consists of the R00E zone on the western side and the much larger R780E zone further on strike to the east. Within the deposit, the R00E and R780E zones have an overall combined strike length validated by a resource estimate of approximately 1.05km with the R00E measuring approximately 105m in strike length and the R780E zones measuring approximately 945m in strike length. A 225m gap separates the R00E zone to the west and the R780E zones to the east, though sporadic narrow, weakly mineralized intervals from drill holes within this gap suggest the potential for further significant mineralization in this area. The R780E zone is located beneath Patterson Lake

which is approximately six metres deep in the area of the deposit. The entire Triple R deposit is covered by approximately 50m to 60m of overburden.

Mineralization remains open along strike in both the western and eastern directions. Basement rocks within the mineralized trend are identified primarily as mafic volcanic rocks with varying degrees of alteration. Mineralization is both located within and associated with mafic volcanic intrusives with varying degrees of silicification, metasomatic mineral assemblages and hydrothermal graphite. The graphitic sequences are, associated with the PL-3B basement Electro-Magnetic (EM) Conductor. The R840W zone, located 495m west along strike of the Triple R deposit, now has a defined strike length of 465m and is still open. The recent discovery of the high-grade R1515W zone located a further 510m to the west of the R840W zone, now has a defined strike length of 92m and is open in multiple directions. The R840W and R1515W zones have significantly upgraded the prospectivity for further growth on land to the west of the Triple R deposit within the Patterson Lake Corridor. The recently discovered high-grade mineralization in the R1620E zone, located 210m to the east along strike similarly has significantly upgraded the prospectivity for further growth of the PLS resource to the east of the Triple R deposit.

Updated maps and files can be found on the Company's website at <http://fissionuranium.com/project/triple-r-deposit/overview/>.

### **Patterson Lake South Property**

The 31,039 hectare PLS project is 100% owned and operated by Fission Uranium Corp. PLS is accessible by road with primary access from all-weather Highway 955, which runs north to the former Cluff Lake mine and passes through the nearby UEX-Areva Shea Creek discoveries located 50km to the north, currently under active exploration and development.

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and reviewed on behalf of the company by Ross McElroy, P.Geol., President and COO for Fission Uranium Corp., a qualified person.

### **About Fission Uranium Corp.**

Fission Uranium Corp. is a Canadian based resource company specializing in the strategic exploration and development of the Patterson Lake South uranium property - host to the class-leading Triple R uranium deposit - and is headquartered in Kelowna, British Columbia. Fission's common shares are listed on the TSX Exchange under the symbol "FCU" and trade on the OTCQX marketplace in the U.S. under the symbol "FCUUF."

### **ON BEHALF OF THE BOARD**

*"Ross McElroy"*

**Ross McElroy, President and COO**

Investor Relations

Rich Matthews

TF: 877-868-8140

[rich@fissionuranium.com](mailto:rich@fissionuranium.com)

[www.fissionuranium.com](http://www.fissionuranium.com)

**Cautionary Statement:**

*Certain information contained in this press release constitutes "forward-looking information", within the meaning of Canadian legislation. Generally, these forward-looking statements can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur", "be achieved" or "has the potential to". Forward-looking statements contained in this press release may include statements regarding the future operating or financial performance of Fission and Fission Uranium which involve known and unknown risks and uncertainties which may not prove to be accurate. Actual results and outcomes may differ materially from what is expressed or forecasted in these forward-looking statements. Such statements are qualified in their entirety by the inherent risks and uncertainties surrounding future expectations. Among those factors which could cause actual results to differ materially are the following: market conditions and other risk factors listed from time to time in our reports filed with Canadian securities regulators on SEDAR at [www.sedar.com](http://www.sedar.com). The forward-looking statements included in this press release are made as of the date of this press release and the Company and Fission Uranium disclaim any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as expressly required by applicable securities legislation.*